

L Number	Hits	Search Text	DB	Time stamp
-	53	(rout\$4 same axis\$4) and ("n/2" "N/2")	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:56
-	97	(rout\$4 same axis\$4) and ((3d (third near3 dimension) 3D) same rout\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 16:28
-	31	(rout\$4 same axis\$4) and ((3d (third near3 dimension) 3D) same rout\$3) and (z near2 axis)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 16:14
-	45	(rout\$4 same axis\$4) and ((3d (three near3 dimension\$4) 3D) same (routing router routed)) and (z near2 axis)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/21 16:19
-	20	((3d ((three third) near3 dimension\$4) 3D) near11 (process\$5) near11 array) and (packet\$4) and ((interconnect\$5 inter-connect\$5) near11 process\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 10:43
-	167	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 10:57
-	98	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 13:31
-	85	((hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch))) ((vlsi lsi) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)))) and (((loop\$4 near2 back\$4) (wrap\$4 near3 around)) near11 (process\$4 router switch\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/22 15:18
-	80	(linear near4 array) and ((routing near6 array) and (even and odd))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/23 16:38
-	24	(routing near6 array) and ((even and odd) near11 (process\$4 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/23 17:17
-	19	((rout\$4 near11 (opposit\$4 opposing) near11 (direction location))) and (routing near6 array)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/23 17:01
-	163	((connect\$6 coupl\$5) near11 (us\$4 unus\$4) near11 port\$4)) and (routing near6 array)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 09:44
-	22	((connect\$6 coupl\$5) near11 (us\$4 unus\$4) near11 port\$4)) and (routing near6 array) and (n/2 m/2 i/2 a/2 b/2 d/2 x/2 y/2 z/2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 09:51
-	36	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and (n/2 m/2 i/2 a/2 b/2 d/2 x/2 y/2 z/2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 11:13
-	102	(rout\$4 same axis\$4) and (n/2 m/2 i/2 a/2 b/2 d/2 x/2 y/2 z/2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:36

-	29	((rout\$4 near8 direction) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 greater) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 less) and ((rout\$5 switch\$4 process\$4) near6 algorith\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 14:30
-	5	((rout\$4 same axis\$4) and ((n/2 m/2 i/2 a/2 b/2 d/2 x/2 y/2 z/2) near8 (mov\$4 hop\$5))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/29 16:41
-	42	((add\$3 attach\$6 insert\$7) near11 (bit byte) near11 direction near11 (negativ\$4 positiv\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 13:10
-	49	((rout\$4 near8 direction) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 (great\$4 more)) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 less) and ((rout\$5 switch\$4 process\$4) near6 algorith\$4) and (second same pass\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/04/30 17:35
-	106	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6) same rout\$5) and (709/239 716/13 398/57 379/272 370/351-356 370/255 370/406 370/395.32).ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:20
-	29	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6)) and (mesh\$4 with network\$4) and axis and ((loop\$4 wrap\$5) near5 around)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:23
-	3	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6) same (transmi\$6 transfer\$6 send\$4 forward\$4 receiv\$4 rout\$4)) and (mesh\$4 with network\$4) and axis and ((loop\$4 wrap\$5) near5 around) and rout\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 17:26
-	3	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6)) and rout\$4 and (z with direction) and (mesh\$4 with network\$4)	US-PGPUB	2003/10/02 09:17
-	26	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and (add\$3 near11 (bit byte) same (transmi\$8 transfer\$6 send\$4 forward\$4 receiv\$4 direction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:08
-	103	((rout\$4 near8 direction) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 (great\$4 more)) and ((send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) near11 less) and ((rout\$5 switch\$4 process\$4) near6 algorith\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:08
-	41	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmi\$8 transfer\$6 send\$4 forward\$4 receiv\$4 direction))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:08
-	4	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6)) and (mesh\$4 with network\$4) and axis and ((loop\$4 wrap\$5) near5 around) and rout\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:09
-	38	((3d ((three third) near3 dimension\$4) 3D) near11 (process\$5) near11 array) and (packet\$4) and interconnect\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:09

-	69	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6) same (transmi\$6 transfer\$6 send\$4 forward\$4 receiv\$4 rout\$4)) and (mesh\$4 with network\$4) and axis	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:09
-	43	((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6)) and rout\$4 and (z with direction) and (mesh\$4 with network\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/28 13:09
-	15	(hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4) same direction same (packet\$4 fram\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:45
-	40	((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4) same direction same (packet\$4 fram\$4))) not ((hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4 direction packet\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:43
-	18	((indirect\$4 opposit\$5) with (path\$4 channel\$4 rout\$4 line direct\$6 connection link\$4) same rout\$4)) and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4) same direction same (packet\$4 fram\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:43
-	3	((rout\$4 near3 direction) same (send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) same (greater)) and ((rout\$4 near3 direction) same (send\$4 transmi\$8 transfer\$4 forward\$4 receiv\$4) same less) and ((rout\$5 switch\$4 process\$4) same algorith\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:43
-	36	((linear near4 array) and ((routing near6 array) and (even and odd))) and ((connect\$6 coupl\$5) near11 (us\$4 unus\$4) near11 port\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:45
-	7	((hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch))) not ((hypercub\$4 hyper-cub\$4 (hyper adj3 cub\$4)) and array and packet\$4 and ((interconnect\$5 inter-connect\$5) near11 process\$6))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 17:02
-	55	((interconnect\$5 inter-connect\$5) near11 (process\$6 router switch)) and ((add\$3 attach\$6 insert\$7) near11 (bit byte) same (transmis\$8 transfer\$6 send\$4 forward\$4 receiv\$4) same direction same (packet\$4 fram\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/26 14:45
-	1628	370/\$.ccls. and (array with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 14:12
-	523	(709/220,221,218,227-232,239-245,250-253). and ((array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 15:57

-	226	(370/241,248-252,255,351,361).ccls. and ((array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 14:22
-	732	(709/220,221,218,227-232,239-245,250-253 370/241,248-252,255,351,361).ccls. and ((array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 14:26
-	800	(709/220,221,218,227-232,239-245,250-253 370/241,248-252,255,351,361).ccls. and ((mesh\$4 array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 14:26
-	28	((709/220,221,218,227-232,239-245,250-253 370/241,248-252,255,351,361).ccls. and ((mesh\$4 array matrix grid) with (process\$6 router switch))) and ((indirect\$4 opposit\$5) with (path\$4 channel\$4 direct\$6 transmi\$6 transfer\$6 send\$4 forward\$4 receiv\$4)) and ((loop\$4 wrap\$5) near\$5 around)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 15:28
-	26	DIRECTION with ROUTING with MULTIPROCESS\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 15:29
-	502	(712/10-16).ccls. and ((array matrix grid) with (process\$6 router switch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/06/27 15:58